

Vibrabsorber Low-Profile Series

Compact low-profile spring isolators for light machinery, with an optional Sylomer® pad to improve high-frequency vibration isolation



The **AMC-MECANOCAUCHO® Vibrabsorber Low-Profile Series spring isolators** are designed for the **vibration isolation of machinery incorporating rotating or reciprocating components**, particularly where installation height is limited.


Their **compact, low-profile design** makes them particularly suitable for **light machinery** and equipment where installation space is restricted, while providing resilient isolation between the machine and the supporting structure.

The spring isolators reduce vibration transmission to the structure, helping to minimize **structure-borne noise** and vibration transmitted to surrounding equipment.

An optional **Sylomer® pad** complements the action of the steel spring by improving **high-frequency vibration isolation**. This combination provides **effective vibration isolation over a wider frequency range**.


Drawings

AMC 10-B / AMC 25-B / AMC 50-B / AMC 75-B / AMC 100-B



Type	Spring color	Max. Load(lbs)	M	Code	K(N/mm)	Weight(lbs)
AMC 10-B	BLACK	22	M-8	20171	12	0.44
AMC 25-B	BLACK	55	M-8	20173	27	0.45
AMC 50-B	BLACK	110	M-8	20175	58	1
AMC 75-B	BLACK	165	M-8	20177	80	1
AMC 100-B	BLACK	220	M-8	20179	109	1

Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com