CB Washer

ZnNi-coated steel washer designed to provide mechanical retention for CB Mounts, limit excessive movement and maintain the fail-safe function under high dynamic loads.



The **AMC-MECANOCAUCHO® CB Washer** is specifically designed for use with **CB Mounts**, installed in pairs on either side of the chassis or structure to be isolated.

Manufactured from **ZnNi-coated steel**, it provides **excellent corrosion resistance** and contributes to the **mechanical retention of the mount** when subjected to high loads.

Together with the through-bolt and CB Mounts, the washer forms part of the **multidirectional bump-stop system**, helping to **limit excessive movement** and maintain the **fail-safe function** under shocks, accelerations and high dynamic loads.

Its robust design makes it an essential component of the CB mounting system for **mobile machinery, cabins, onboard equipment and other applications subjected to demanding dynamic conditions**.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Drawings

CB 40 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 40 WASHER	16	38	8,5	2	610053

CB 60 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 60 WASHER	125	66	16,5	5	606130

CB 65 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 65 WASHER	141	67	18,5	5	706004

CB 76 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 76 WASHER	175	76	16,5	5	608074

CB 80 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 80 WASHER	175	76	16,5	5	608074

CB 110 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 110 WASHER	286	110	23	5	610192

CB 125 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 125 WASHER	1233	145	24.5	10	608529

CB 130 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 130 WASHER	1233	145	30.5	10	608278

CB 150 WASHER

Type	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)	Code
CB 150 WASHER	1233	145	30.5	10	608278

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Technical characteristics

Washers should be used, if the rubber surface is not covered with the contact surface

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

High robustness in dynamic applications for improved durability

These mounts offer enhanced robustness and are designed to withstand extreme load peaks. They are especially recommended where good durability is required in demanding applications.

High protection against weathering and chemical contamination

The bell housing protects the rubber from ozone and UV radiation, while also preventing contact with diesel, oils or other chemicals that could damage it.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.