Akustik 4

Acoustic hanger with female M6 thread for suspended ceilings. Flexible, adjustable installation with threaded rod.

The Akustik 4 range is designed for the suspension of acoustic ceilings and machinery operating above 1,000 rpm. Every model incorporates the same high-performance elastomer element, specifically engineered to provide effective vibration isolation and long-term mechanical reliability.

The steel housing is designed to support loads of up to 650 kg and is protected with a corrosion-resistant zinc-plated finish. The integrated female M6 thread allows quick, adjustable installation using threaded rods.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 07/11/2026.

Drawings

Akustik 4 A-45 / Akustik 4 B-60



Type	SUMMARY	Max. Load(kg)	Code	Weight(kg)
Akustik 4 A-45	Fitted to ceiling using an M-6 rod.	8-30	23131	0.104
Akustik 4 B-60	Fitted to ceiling using an M-6 rod.	25-60	23132	0.104

Akustik 4 High A-45



Type	SUMMARY	Max. Load(kg)	Code	Weight(kg)
Akustik 4 High A-45	Fitted to ceiling using an M-6 rod.	8-30	23133	0.104

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 07/11/2026.

Akustik 4 High B-60



Type	SUMMARY	Max. Load(kg)	Code	Weight(kg)
Akustik 4 High B-60	Fitted to ceiling using an M-6 rod.	25-60	23134	0.104

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 07/11/2026.

Elastic properties







AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 07/11/2026.

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

Excellent value for money

This mount delivers very high performance for its cost compared with other possible solutions.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.