

AKUSTIK LATERAL + SYLOMER®

Side-mounted acoustic hanger with double fixing for beams.
Compact design with Sylomer® vibration isolation.



These acoustic hangers have been conceived for the suspension of false ceilings, vibrating pipelines and machinery that has to be suspended.


The excellent properties of the Sylomer® microcellular polyurethane material achieve elevated isolation values as opposed to other mounts that use rubber or cork, or a combination of both. These antivibration mounts are manufactured in two special mixes of Sylomer® to adapt better to the load of each application.

A great variety of fixing metal armors and elements facilitate the installation and to adapt better to each type of job. Their rugged metal parts can withstand tensile stresses from 650Kg to 1000Kg. They are supplied with an anticorrosive treatment that can withstand the toughest environments.




Drawings

Akustik 1 Lateral + Sylomer®15 Type A / Akustik Lateral + Sylomer 30 Type A / Akustik Lateral + Sylomer 50 Type A / Akustik Lateral + Sylomer 75 Type A



Type	Max.Load (kg)	Code	M	Weight(kg)
Akustik 1 Lateral + Sylomer®15 Type A	15	23663	M6	0.125
		23292	M8	0.125
Akustik Lateral + Sylomer 30 Type A	30	23573	M6	0.125
		23293	M8	0.125
Akustik Lateral + Sylomer 50 Type A	50	23586	M6	0.125
		23294	M8	0.125
Akustik Lateral + Sylomer 75 Type A	75	23574	M6	0.125
		23295	M8	0.125


Akustik 1 Lateral + Sylomer®15 Type B / Akustik Lateral + Sylomer 30 Type B / Akustik Lateral + Sylomer 50 Type B / Akustik Lateral + Sylomer 75 Type B




Type	Max.Load (kg)	Code	M	Weight(kg)
Akustik 1 Lateral + Sylomer®15 Type B	15	23664	M6	0.125
		23296	M8	0.125
	Akustik Lateral + Sylomer 30 Type B	30	23510	M6
			23297	M8
	Akustik Lateral + Sylomer 50 Type B	50	23587	M6
			23777	M8
	Akustik Lateral + Sylomer 75 Type B	75	23526	M6
			23298	M8

Elastic properties

LOAD DEFLECTION GRAPHS



NATURAL FREQUENCY GRAPHS



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com