

Akustik Slip Clip + Sylomer® Acoustic Clip

Compact acoustic clip with Sylomer® for Omega profiles of different widths. Ideal for suspended ceilings and wall assemblies where installation space is limited.



The Akustik Slip Clip + Sylomer® acoustic clip is designed for the vibration isolation of suspended ceilings and wall assemblies constructed with Omega profiles.


Its adjustable design accommodates Omega profiles of different widths, providing a versatile attachment system for a wide range of ceiling and wall configurations.

The Sylomer® elastic element effectively reduces the transmission of vibration and structure-borne noise to the supporting structure. Its compact design minimizes the required installation depth, making it particularly suitable for projects where available space is limited.



Drawings

Akustik Slip Clip + Sylomer 8 / Akustik Slip Clip + Sylomer 15 / Akustik Slip Clip + Sylomer 30



Type	Max. Load (lbs)	Code	Weight(lbs)
Akustik Slip Clip + Sylomer 8	18	23835	0.26
Akustik Slip Clip + Sylomer 15	33	23628	0.26
Akustik Slip Clip + Sylomer 30	66	23688	0.26

Technical characteristics

- Elastic **Sylomer® element** to reduce the transmission of vibration and structure-borne noise.
- Compatible with **Omega profiles of different widths**.
- Compact design to **minimise ceiling height loss**.
- Suitable for the **acoustic decoupling of suspended ceilings and wall linings with metal framing**.

