

Akustik + Sylomer® Channel Clip

Omega profile support with pressure and screw fixation. Superior insulation with double Sylomer®. Ideal for ceilings and linings.



The **Akustik + Sylomer® Channel Clip** has been specifically designed to directly interface with the standard 'top hat' metal furring channels which are widely available in the UK.

The low profile design provides space saving for both acoustic walls and suspended ceiling installations, fixing in place is quick and easy thanks to a single central fastener.


The 'top hat' channel is simply pressed in to place and secured via 2x screws for extra security.

Noise and vibration is decoupled by the use of Sylomer®, a proven material that provides exceptional acoustic results and unrivalled long term durability.

The metal components provide an overload-proof and fail safe design, factors which are particularly important where resistance to fire or shock is necessary.





Drawings

Akustik + Sylomer® Channel Clip 15 / Akustik + Sylomer® Channel Clip 30



Type	Code	Max. Load(lbs)	Weight(lbs)
Akustik + Sylomer® Channel Clip 15	23271	33	0.18
Akustik + Sylomer® Channel Clip 30	23319	66	0.19

Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com