VT Spring Hanger

Spring hangers engineered for low-frequency vibration isolation with 1-1/2 × 1/2 in ceiling channels or 12-gauge hanger wire.



The AMC-MECANOCAUCHO® VT Spring Hanger range is designed for the suspension of acoustic ceilings and mechanical equipment requiring exceptional low-frequency vibration isolation.

Each hanger incorporates a high-performance steel spring and an elastomer bushing that prevents acoustic bridging while accommodating minor hanger rod misalignment during installation. This combination provides outstanding vibration isolation and reliable long-term performance.


The heavy-duty steel housing is protected with a corrosion-resistant zinc-plated finish for extended service life.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 16/11/2026.

Drawings

VT 15 Type C / VT 25 Type C / VT 50 Type C / VT 75 Type C / VT 100 Type C / VT 125 Type C / VT 150R Type C




Type	Max. Permanent Load (lbs)	Spring color	Code
VT 15 Type C	33	Black	25534
VT 25 Type C	55	Black	25535
VT 50 Type C	110	Blue	25536
VT 75 Type C	165	Grey	25537
VT 100 Type C	220	Beige	25538
VT 125 Type C	276	White	25539
VT 150R Type C	331	Black	25540

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 16/11/2026.

VT 15 Type D / VT 25 Type D / VT 50 Type D / VT 75 Type D / VT 100 Type D





Type	Max. Permanent Load (lbs)	Spring color	Code
VT 15 Type D	33	Black	23001
VT 25 Type D	55	Black	23002
VT 50 Type D	110	Blue	23003
VT 75 Type D	165	Grey	23004
VT 100 Type D	220	Beige	23005

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 16/11/2026.

Elastic properties





AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 16/11/2026.

Technical characteristics

NEVER METAL TO METAL CONTACT

The hanger has a clearance that allows the threaded rod to swing within a 35° angle envelope to absorb irregularities in the ceiling.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 16/11/2026.