

EP 700 Super + Sylomer®

Direct-fixing acoustic hanger with Sylomer®. Double fixing to the structure, particularly suitable for suspended ceilings beneath timber structures.



The EP 700 Super + Sylomer® acoustic hanger is designed for the acoustic isolation of suspended ceilings by means of direct fixing to the supporting structure, without the use of threaded rods.


Its Sylomer® elastic element effectively reduces the transmission of vibration and structure-borne noise between the suspended ceiling and the supporting structure. The double fixing provides a robust, secure and stable installation.

The EP 700 Super + Sylomer® is particularly suitable for timber structures, where it can be fixed directly to the structural element using two screws.




Drawings

EP 700 Super + Sylomer 30



Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)
EP 700 Super + Sylomer 30	They are secured by two "predrilled" and bent pins to facilitate their installation. This principle can be used to make a wide range of variants. Contact us if you require a product more adapted to your building technique.	23745	30	0.28

EP 700 Super + Sylomer 75



Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)
EP 700 Super + Sylomer 75	They are secured by two "predrilled" and bent pins to facilitate their installation. This principle can be used to make a wide range of variants. Contact us if you require a product more adapted to your building technique.	23746	75	0.28