Grand Akustik

Acoustic hanger for heavy suspended ceilings and machinery. High load capacity with forged, double-point, or double T-profile anchoring options.



The Akustik Large range is designed for the suspension of heavy acoustic ceilings and machinery operating above 1,000 rpm. All models incorporate the same high-performance elastomer element, specifically engineered to provide effective vibration isolation and long-term mechanical durability. The steel housing is designed to withstand loads of up to 1,000 kg and is protected with a corrosion-resistant zinc-plated finish. Available with forged, double-point, or double T-profile anchoring systems to suit different installation requirements.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13


sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.


Drawings

Grand Akustik 1 A-45 / Grand Akustik 1 B-60 / Grand Akustik 2 A-45



Type	Max. Load(kg)	Weight(kg)	Code	M
Grand Akustik 1 A-45	40-100	0,357	23206	M-6
			23201	M-8
			23184	M-10
Grand Akustik 1 B-60	80-150	0,357	23205	M-6
			23202	M-8
			23185	M-10
Grand Akustik 2 A-45	40-100	0,371	23165	M-6
			23211	M-8
			23164	M-10

Grand Akustik 2 B-60 / Grand Akustik 3 A-45 / Grand Akustik 3 B-60





Type	Max. Load(kg)	Weight(kg)	Code	M
Grand Akustik 2 B-60	80-150	0,371	23166	M-6
			23212	M-8
			23162	M-10
Grand Akustik 3 A-45	40-100	0,322	23221	M-6
			23219	M-8
Grand Akustik 3 B-60	80-150	0,322	23222	M-6
			23220	M-8


AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Elastic properties







AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

Secure ceiling anchorage

With more than one fixing point to the overhead slab, it is particularly reliable for anchorages with low load-bearing capacity.

Excellent value for money

This mount delivers very high performance for its cost compared with other possible solutions.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.