

Grand Akustik

Acoustic hanger for heavy suspended ceilings and machinery. High load capacity with forged, double-point, or double T-profile anchoring options.




The Akustik Large range is designed for the suspension of heavy acoustic ceilings and machinery operating above 1,000 rpm. All models incorporate the same high-performance elastomer element, specifically engineered to provide effective vibration isolation and long-term mechanical durability. The steel housing is designed to withstand loads of up to 1,000 kg and is protected with a corrosion-resistant zinc-plated finish. Available with forged, double-point, or double T-profile anchoring systems to suit different installation requirements.




Drawings

Grand Akustik 1 A-45 / Grand Akustik 1 B-60 / Grand Akustik 2 A-45



Type	Max. Load(kg)	Weight(kg)	Code	M
Grand Akustik 1 A-45	40-100	0,357	23206	M-6
			23201	M-8
			23184	M-10
Grand Akustik 1 B-60	80-150	0,357	23205	M-6
			23202	M-8
			23185	M-10
Grand Akustik 2 A-45	40-100	0,371	23165	M-6
			23211	M-8
			23164	M-10

Grand Akustik 2 B-60 / Grand Akustik 3 A-45 / Grand Akustik 3 B-60






Type	Max. Load(kg)	Weight(kg)	Code	M
Grand Akustik 2 B-60	80-150	0,371	23166	M-6
			23212	M-8
			23162	M-10
Grand Akustik 3 A-45	40-100	0,322	23221	M-6
			23219	M-8

Type	Max. Load(kg)	Weight(kg)	Code	M
	Grand Akustik 3 B-60	80-150	0,322	23222
				23220



Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com