Compression Limiter Washer

Corrosion-resistant steel washer designed to distribute the load, control elastomer compression and increase the service life of the cabin mount.



The **AMC-MECANOCAUCHO® compression limiter washer** is designed to be integrated into **cabin mounts** in order to control the compressive loads applied to the elastomer.

It provides a more uniform **load distribution**, helping to prevent excessive compression of the elastomer and to maintain the **vibration isolation performance** of the anti-vibration mount over time.

Its **corrosion-resistant steel construction** makes it suitable for use in mobile machinery and demanding operating environments.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Drawings

Cabin Mount 75 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 75 washer	608074	16	170	76	16,5	5
	610027	20	155	76	20,5	5

Cabin Mount 80 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 80 washer	606482	16	237	90	18	5
	606486	20	236	90	20,5	5

Cabin Mount 85 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 85 washer	606482	16	237	90	18	5
	606486	20	236	90	20,5	5

Cabin Mount 105 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 105 washer	611167	16	356	110	16,5	5
	606487	20	361	110	20,5	5

Cabin Mount 120 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 120 washer	610255	20	358	120	20,5	5

Cabin Mount 110 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 110 washer	611167	16	356	110	16,5	5
	606487	20	361	110	20,5	5

Cabin Mount 120 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 120 washer	610249	20	358	110	20,5	5

Cabin Mount 130 washer

Type	Code	Ø(mm)	Weight(gr)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
Cabin Mount 130 washer	610255	20	358	120	20,5	5

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Technical characteristics

Washers should be used, if the rubber surface is not covered with the contact surface

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

High protection against weathering and chemical contamination

The bell housing protects the rubber from ozone and UV radiation, while also preventing contact with diesel, oils or other chemicals that could damage it.

High robustness in dynamic applications for improved durability

These mounts offer enhanced robustness and are designed to withstand extreme load peaks. They are especially recommended where good durability is required in demanding applications.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.