
BF Anti-Vibration Mounts for Floating Floors

Cylindrical rubber anti-vibration mounts for floating floors. Available in different diameters and heights to match the isolation performance to the project loads.



The BF anti-vibration mounts are designed for floating floor systems requiring effective isolation of vibration and structure-borne noise.

Installed beneath the floating floor, they provide elastic decoupling from the supporting structure, thereby reducing the transmission of vibration into the building.

They are manufactured from rubber with excellent mechanical and elastic properties and are available in different diameters and heights, allowing the load capacity and isolation performance to be matched to the requirements of each project.


They can also be used for the vibration isolation of machinery operating at speeds of 700 rpm and above, provided that the load and frequency characteristics of the installation are suitable.


AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Drawings

BF 50 / BF 125 / BF 200 / BF 400 / BF 500







Type	Max. Permanent Load (kg)	Height(mm)	Ø(mm)	Code	Weight(kg)
BF 50	50	28	40	24201	0.039
BF 125	125	36	60	24202	0.116
BF 200	200	40	80	24203	0.245
BF 400	400	40	95	24204	0.319
BF 500	500	50	80	24218	0.28


AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Elastic properties







AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

Excellent value for money

This mount delivers very high performance for its cost compared with other possible solutions.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.