


Akustik + Sylomer® Floor Mount – Anti-Vibration Mount for Floating Floors

Vibration-damping support with a 'U' profile for 50 mm battens. Ideal for floating wooden floors, with leveling and direct fixing to the floor.



The **Akustik + Sylomer® Floor Mounts** are designed to provide **point-supported acoustic decoupling for floating floors** constructed on a batten system. Their low height allows particularly shallow floor build-ups.


As with all products in the **AMC Akustik range**, correct loading is essential to achieve optimum **structure-borne and impact sound isolation**. The Floor Mounts are therefore available in different load ratings, from **25 to 100 kg per mount**.

Under the appropriate load, **natural frequencies of up to 12 Hz** can be achieved, effectively reducing the transmission of structure-borne sound through the building structure and providing a **high level of impact sound reduction**.

According to measurements carried out by independent testing laboratories, **Akustik + Sylomer® Floor Mounts can provide an improvement in impact sound insulation of up to 30 dB**.


Drawings

Akustik+Sylomer® 25 Floor Mount




Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)	Thickness(mm)
Akustik+Sylomer® 25 Floor Mount	Mounts for installing wooden floors with batten system.	23562	25	0.132	25

Akustik+Sylomer® 30 Floor Mount




Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)	Thickness(mm)
Akustik+Sylomer® 30 Floor Mount	Mounts for installing wooden floors with batten system.	23561	30	0.121	12

Akustik+Sylomer® 40 Floor Mount




Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)	Thickness(mm)
Akustik+Sylomer® 40 Floor Mount	Mounts for installing wooden floors with batten system.	23261	40	0.132	25

Akustik+Sylomer® 75 Floor Mount




Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)	Thickness(mm)
Akustik+Sylomer® 75 Floor Mount	Mounts for installing wooden floors with batten system.	23564	75	0.129	25

Akustik+Sylomer® 100 Floor Mount



Type	SUMMARY	Code	Max. Load(kg)	Weight(kg)	Thickness(mm)
Akustik+Sylomer® 100 Floor Mount	Mounts for installing wooden floors with batten system.	23563	100	0.129	12

Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com