# JT Machine Mounts

## Compact and cost-effective machine mount designed for simple installation without floor anchoring, ideal for light machinery and equipment.



The **AMC-MECANOCAUCHO® JT Machine Mounts** are designed for the installation of **light machinery and equipment where floor anchoring is not required**.

Their compact design allows **quick and simple installation** whilst providing stable support for the machine. The **height-adjustment system** facilitates accurate levelling of the equipment.

The mount design also accommodates **minor floor irregularities or variations in inclination**, helping to ensure correct load distribution between the different support points.


Thanks to their **simplicity, compact dimensions and cost-effective design**, JT mounts are particularly suitable for **small machines, auxiliary equipment and light industrial applications**.

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 15/11/2026.*

# Drawings

## JT Type




| Type | Code | Max. Load(kg) | Shore | A(mm) | Weight(gr) |
|---|---|---|---|---|---|
| JT Type | 144001 | 25-40 | 50 Sh | 23 | 53.5 |
| | 144002 | 75-100 | 75 Sh | 23 | 56 |
| | 150021 | 75-100 | 60 Sh | 45 | 65 |

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 15/11/2026.*

## Technical characteristics

The elastomer used is a mixture of oil-resistant synthetic Nitrile Butadyene Rubber (NBR).

## Advantages

### Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 15/11/2026.*