A-45 Trapezoidal Mount Kit

Kit of 4 A-45 trapezoidal anti-vibration mounts with mounting accessories, designed for vibration isolation of air-conditioning and HVAC equipment.



The **AMC-MECANOCAUCHO® A-45 Trapezoidal Mount Kit** is a complete set designed to simplify the installation and **vibration isolation of air-conditioning and HVAC equipment**.

The kit includes **4 A-45 trapezoidal anti-vibration mounts together with their mounting accessories**, providing a simple and quick method of installing the equipment on its supporting structure.

The elastomer elements provide an **elastic connection between the equipment and the structure**, helping to reduce the transmission of vibration and **structure-borne noise** generated during operation.


Thanks to its simple, robust and cost-effective design, the A-45 kit is particularly suitable for **air-conditioning units, condensing units, heat pumps, fans and other HVAC equipment**.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Drawings

A-45



Type	Code	Max.Load (kg)	Weight(kg)	Min. Load (kg)
A-45	649016	85	0.368	30

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.

Technical characteristics

The AMC Mecanocaucho® A-45 supports have a softer stiffness in the direction which is perpendicular to its axis (shear). The AMC Mecanocaucho® A-45 supports allow for relative movements between two secured elements, movement can be accommodated to provide elasticity in the case of heat expansion, chassis deformations, etc.

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 16/11/2026.