S-60 Trapezoidal Vibration Isolator Kit

Kit of 4 S-60 trapezoidal vibration isolators with studs and nuts, designed for vibration isolation of equipment subject to higher loads.



The **AMC-MECANOCAUCHO® S-60 Trapezoidal Vibration Isolator Kit** is a set of 4 vibration isolators designed to provide **simple, reliable, and cost-effective vibration isolation** for machinery and equipment subject to higher loads.

The kit includes **4 S-60 trapezoidal vibration isolators with their mounting studs and nuts**, allowing simple and quick installation of the equipment on its supporting structure.

The elastomer elements provide an **elastic connection between the machine and the structure**, helping to reduce the transmission of vibration and **structure-borne noise** generated during operation.


Thanks to their robust design and higher load capacity, S-60 vibration isolators are particularly suitable for **motors, fans, pumps, auxiliary equipment, and industrial machinery** requiring simple and reliable vibration isolation.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 17/11/2026.

Drawings

S-60



Type	Code	Max. Load (lbs)	Weight(lbs)	Min.Load (lbs)
S-60	649043	331	1	110

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 17/11/2026.

Technical characteristics

The AMC Mecanocaucho® S-60 supports have a softer stiffness in the direction which is perpendicular to its axis (shear). The AMC Mecanocaucho® S-60 supports allow for relative movements between two secured elements, movement can be accommodated to provide elasticity in the case of heat expansion, chassis deformations, etc.

Advantages

Easy installation

This mount requires no major modifications to the structure for installation.

Mount offering high stability

Suspensions built with this mount barely move, thanks to a geometry designed to control the movement of the suspended element.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.