
Vibrabsorber Medium Series

Compact spring isolators for light loads and low-frequency vibration isolation, with an optional Sylomer® base to improve high-frequency isolation.



The **AMC-MECANOCAUCHO® Vibrabsorber Medium Series spring isolators** are designed for **low-frequency vibration isolation** of machinery and equipment incorporating rotating or reciprocating components.

Their **compact design and low profile** make them particularly suitable for light-load equipment and installations where space is limited, including **fans, air-conditioning units, and other HVAC equipment**.

The spring isolators can be configured with different **mounting arrangements** to suit the requirements of each installation.


An optional **Sylomer® base** complements the action of the steel spring by improving **high-frequency vibration isolation**. This combination provides **effective vibration isolation over a wider frequency range**.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.


Drawings

AMC 8



Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 8	BLACK	18	20139	3,3	0.42

AMC 15




Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 15	BLACK	33	20126	8,5	1

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

AMC 25



Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 25	BLACK	55	20101	12	1

AMC 50




Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 50	BLUE	110	20103	28	1

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

AMC 75



Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 75	GREY	165	20105	38	1

AMC 100




Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 100	BEIGE	220	20107	52	1

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

AMC 125



Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 125	WHITE	276	20300	58	1

AMC 150




Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
AMC 150	BLACK	331	20303	79	1

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

Round rubber base



Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
Round rubber base	-	-	20109		0.19

Rectangular base




Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
Rectangular base	-	-	612014		0.39

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

Rectangular base+Sylomer®



Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
Rectangular base+Sylomer®	-	-	20106		0.38

Rectangular base D10




Type	Spring color	Max. Load(lbs)	Code	K(N/mm)	Weight(lbs)
Rectangular base D10	-	-	612050		0.35

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

Elastic properties



AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.

Advantages

Easy installation

This mount requires no major modifications to the structure for installation.

Improved isolation

It offers improved isolation compared to conventional anti-vibration mounts of similar geometry.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 12/11/2026.