

300 × 300 Anti-Vibration Pads

Rubber anti-vibration pads that can be easily cut to size and installed without mechanical fixings to reduce vibration transmission from machinery and equipment.



AMC-MECANOCAUCHO® 300 × 300 Anti-Vibration Pads are rubber elements designed to **reduce vibration transmission** between machinery and its supporting structure.


Available in different **thicknesses and rubber compounds**, they allow the stiffness and vibration isolation performance to be adapted to the requirements of each application. They are particularly suitable for the **isolation of medium- and high-frequency vibrations**.

Installation is particularly simple: the pads can be **easily cut to the required dimensions** and placed directly beneath the machine without mechanical fixings. They can also be bonded in place when required by the installation.

Depending on the model, different levels of **flexibility and grip** are available. For applications exposed to **oils or other hydrocarbons**, a suitable rubber compound should be selected.



Drawings

RUBBER BLOCKS AND MATS 300 x 300



Type	Max. Load (kg/cm2)	Code	Weight(kg)	Thickness(mm)
RUBBER BLOCKS AND MATS 300 x 300	4	152001	0.521	9

Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com