

PAVIABSORBER

Multilayer acoustic flooring with rubber, foam and heavy mass layer. Sound isolation, comfort and durability for industrial vehicle and machinery cabins.



PAVIABSORBER is a technical flooring system specifically designed for **industrial vehicles, technical cabins and machinery**, where a durable floor is required to provide **comfort, mechanical protection and improved sound isolation**. Its multilayer construction combines a **slip-resistant rubber top layer**, an intermediate layer of **closed-cell polyethylene foam** and a **heavy mass layer bonded to the underside**.

The rubber surface provides **excellent resistance to wear, impact and fluids**, whilst offering a safe and durable finish. The foam provides **elastic decoupling** and improves underfoot comfort, whilst the heavy mass layer increases the surface mass of the system and helps **reduce the transmission of noise and vibration** to the vehicle chassis or supporting structure.

PAVIABSORBER is particularly suitable for **vehicle cabin floors, mobile machinery, industrial equipment and other technical environments** where **ergonomics, mechanical resistance and acoustic treatment** need to be combined in a single system.

Drawings

PAVIABSORBER (PAV.CIR.+ MP + POLYETHYLENE)

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PAVIABSORBER (PAV.CIR.+ MP + POLYETHYLENE)	26701	-	22	9


PAVIABSORBER A (PAV.CIR.+ MP + POLYETHYLENE)

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PAVIABSORBER A (PAV.CIR.+ MP + POLYETHYLENE)	26703	✓	22	13

Elastic properties


Transmission Loss (dB)

PAVIABSORBER



Absorption coefficient

PAVIABSORBER



Technical characteristics

- Composition Antiskid Mat, absorbent polyethylene foam and visco elastic heavy mass of 5kg / m2 interleaved.
- Thicknesses 15mm

Formats

- Sheets 1200x1000 mm