


# PD BEIGE

Acoustic absorption panel with a smooth beige film finish. Good mid- and high-frequency absorption with a technical finish for clean and visible applications.



The **AKUSTIKABSORBER PD BEIGE** range consists of acoustic absorption panels made from **open-cell polyurethane foam**, designed to provide **good sound absorption at mid and high frequencies**, reducing reverberation and improving acoustic comfort in enclosed spaces. The panel features a **smooth beige PVC film facing**, which protects the foam against **dust, splashes, and light mechanical contact**.

The **acoustically permeable film** allows sound waves to reach the absorbent foam while providing a uniform, clean, and technical surface. Its light beige finish makes it particularly suitable for **visible installations, electrical cabinets, machinery enclosures, control cabinets, and technical rooms**, where a neat and professional appearance is required.

Thanks to its **low weight, ease of installation, and availability in different thicknesses**, PD BEIGE provides a versatile option for a wide range of **acoustic treatment applications** where no specific fire performance is required.

## Drawings

### PD-15 sheet

| Type        | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|-------------|-------|---------------|--------|------------------|
| PD-15 sheet | 26003 | -             | 10     | 2                |

### PD-15 A sheet

| Type          | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|---------------|-------|---------------|--------|------------------|
| PD-15 A sheet | 26071 | &#10003;      | 10     | 2                |

### PD-15 roll

| Type       | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|------------|-------|---------------|--------|------------------|
| PD-15 roll | 26011 | -             | 10     | 2                |

### PD-25 sheet

| Type        | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|-------------|-------|---------------|--------|------------------|
| PD-25 sheet | 26006 | -             | 8      | 3                |

### PD-25 A sheet

| Type          | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|---------------|-------|---------------|--------|------------------|
| PD-25 A sheet | 26072 | &#10003;      | 8      | 3                |

### PD-25 roll

| Type       | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|------------|-------|---------------|--------|------------------|
| PD-25 roll | 26013 | -             | 8      | 3                |

### PD-40 sheet

| Type        | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|-------------|-------|---------------|--------|------------------|
| PD-40 sheet | 26009 | -             | 18     | 4                |



### PD-40 A sheet

| Type          | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|---------------|-------|---------------|--------|------------------|
| PD-40 A sheet | 26073 | &#10003;      | 18     | 4                |

### PD-40 roll

| Type       | Code  | Self-adhesive | Rw(dB) | Weight /m2 (lbs) |
|------------|-------|---------------|--------|------------------|
| PD-40 roll | 26015 | -             | 18     | 4                |

## Elastic properties



## Technical characteristics

- Composition Perforated beige coloured PVC facing and absorbing polyurethane foam.
- Thicknesses 15mm 25mm 40mm

## Formats

- Sheets 1200x1000 mm  
15mm thick, 8 Sheets per box.  
25mm thick, 5 Sheets per box.  
40mm thick, 3 Sheets per box.
- Rolls 15mm thick, 1500mm wide x approx. 25m long  
25mm thick, 1500mm wide x approx. 25m long  
40mm thick, 1500mm wide x approx. 20m long