


PD BEIGE

Pannello fonoassorbente con finitura beige in pellicola liscia.
Buona assorbenza nelle frequenze medie-alte e aspetto tecnico
per ambienti puliti e visibili.



Perforated beige coloured PVC facing and absorbing polyurethane foam.



AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13



sales@amcsa.es



www.mecanocaucho.com

Disegni

PD-15 plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-15 plancha	26003	-	10	1,113

PD-15 A plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-15 A plancha	26071	✓	10	1,113

PD-15 rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-15 rollo	26011	-	10	1,113

PD-25 plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-25 plancha	26006	-	8	1,415

PD-25 A plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-25 A plancha	26072	✓	8	1,415

PD-25 rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-25 rollo	26013	-	8	1,415

PD-40 plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-40 plancha	26009	-	18	1,868



PD-40 A plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-40 A plancha	26073	✓	18	1,868

PD-40 rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PD-40 rollo	26015	-	18	1,868

Proprietà elastiche



AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

Caratteristiche tecniche

- Composition Perforated beige coloured PVC facing and absorbing polyurethane foam.
- Thicknesses 15mm 25mm 40mm

Formati

- Sheets 1200x1000 mm
15mm thick, 8 Sheets per box.
25mm thick, 5 Sheets per box.
40mm thick, 3 Sheets per box.
- Rolls 15mm thick, 1500mm wide x approx. 25m long
25mm thick, 1500mm wide x approx. 25m long
40mm thick, 1500mm wide x approx. 20m long



AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13



sales@amcsa.es



www.mecanocaucho.com