
PD BLACK

PU foam acoustic absorber with a black film finish. Good sound absorption and a discreet appearance for technical areas without fire-rating requirements.



The **AKUSTIKABSORBER PD BLACK** is an acoustic absorption panel designed for applications requiring **reduction of reflected noise in enclosed spaces**, combined with a dark finish providing **visual uniformity and a discreet appearance**. It is manufactured from **open-cell polyurethane foam** covered with a **smooth black PVC film**, providing light protection against dust, ambient moisture and minor mechanical contact.

The black PVC finish maintains **good sound absorption at medium and high frequencies**, whilst its discreet appearance makes it particularly suitable for **machinery interiors, technical cabins, electrical cabinets and areas where the panel remains visible**, especially where light-coloured or reflective finishes are undesirable. Its surface also facilitates cleaning and helps extend the service life of the panel in industrial and technical environments.

PD BLACK **does not have fire-retardant properties** and is therefore intended for **environments without specific reaction-to-fire requirements**, where improved acoustic comfort and a dark technical finish are required.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Drawings

PD-15 black sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-15 black sheet	26381	-	10	1,113

PD-15 A black sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-15 A black sheet	26382	✓	10	1,113

PD-15 roll black

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-15 roll black	26383	-	10	1,113

PD-25 black sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-25 black sheet	26385	-	8	1,113

PD-25 A black sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-25 A black sheet	26386	✓	8	1,113

PD-25 roll black

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-25 roll black	26387	-	8	1,113

PD-40 black sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-40 black sheet	26389	-	18	1,92

PD-40 A black sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-40 A black sheet	26390	✓	18	1,113

PD-40 roll black

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PD-40 roll black	26391	-	18	1,113

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Technical characteristics

- CompositionPerforated black coloured PVC facing and absorbing polyurethane foam.
- Thicknesses15mm 25mm 40mm

Formats

- Sheets1200x1000 mm
15mm thick, 8 Sheets per box.
25mm thick, 5 Sheets per box.
40mm thick, 3 Sheets per box.
- Rolls15mm thick,1500mm wide x approx. 25m long
25mm thick,1500mm wide x approx. 25m long
40mm thick,1500mm wide x approx. 20m long

Advantages

High absorption capacity

This material is highly porous and, thanks to its high absorption capacity, reduces reflections and reverberation time in enclosed spaces.

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.