


PF BLACK

Acoustic absorption panel made from PU foam with a black polyester fibre facing. Good sound absorption and a technical finish for visible applications without specific fire requirements.

Description



The **AKUSTIKABSORBER PF BLACK** is an acoustic absorption panel designed to **reduce reverberation and improve acoustic comfort** in technical spaces, machinery and enclosures, whilst providing a **durable, discreet and visually clean finish**. It consists of **open-cell polyurethane foam** covered with a **black non-woven polyester fibre facing**, which allows sound waves to reach the absorbent core.

The black textile facing provides **light protection against dust and dirt**, as well as improved resistance to surface wear caused by minor rubbing or contact. Its dark and uniform appearance makes it particularly suitable for **visible machinery enclosures, electrical cabinets, technical cabins, suspended ceilings and machine housings**, where a discreet appearance is required.

PF BLACK does not provide specific fire-resistant properties and is therefore recommended for **environments without particular fire performance requirements**, where a good balance between **sound absorption, appearance and surface durability** is required.

Drawings

PF-15 roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-15 roll	26160	-	11	0,463

PF-15 A roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-15 A roll	26163	✓	11	0,49

PF-25 roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-25 roll	26161	-	12	0,765

PF-25 A roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-25 A roll	26164	✓	12	0,81

PF-40 roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-40 roll	26162	-	11	1,218

PF-40 A roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-40 A roll	26165	✓	11	1,218

PF-15 A sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-15 A sheet	26291	✓	11	0,463

PF-25 A sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-25 A sheet	26292	✓	12	0,715

PF-40 A sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-40 A sheet	26193	✓	11	1,218

PF-15 sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-15 sheet	26166	-	11	0,463



PF-25 sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-25 sheet	26167	-	12	0,715

PF-40 sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PF-40 sheet	26168	-	11	1,218

Elastic properties



Technical characteristics

- Composition Black unwoven fabric and absorbing polyurethane foam.
- Thicknesses 15mm 25mm 40mm

Formats

- Sheets 1200x1000 mm
15mm thick, 8 Sheets per box.
25mm thick, 5 Sheets per box.
40mm thick, 3 Sheets per box.
- Rolls 1500mm wide x approx. 20m long

