


PS BLACK

Acoustic absorption panel made from PU foam with a black polyethylene film. Enhanced protection against moisture, splashes and dirt for technical environments.



The **AKUSTIKABSORBER PS BLACK** is an acoustic absorption panel designed for environments where, in addition to **acoustic treatment**, extra **protection against moisture, splashes and dirt** is required. It consists of **open-cell polyurethane foam** providing sound absorption, covered with a **black polyethylene film thermally bonded** to the foam.

The surface film provides a **protective barrier against liquids, dust and oils**, improving the durability of the material in industrial and technical environments or inside machinery. The combination of the absorbent foam and protective surface provides an effective balance between **acoustic treatment and resistance to operating conditions**.

PS BLACK is particularly suitable for **machinery enclosures, electrical cabinets, control cabinets, cabins and technical enclosures**, where the acoustic material requires additional surface protection. It does not provide specific fire-resistant properties and is therefore intended for applications **without particular fire performance requirements**.

Drawings

PS-15 sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-15 sheet	26001	-	12	0,463

PS-15 A sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-15 A sheet	26087	✓	12	0,463

PS-15 roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-15 roll	26010	-	12	0,463

PS-15 A roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-15 A roll	26068	✓	12	0,59

PS-25 sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-25 sheet	26004	-	12	0,765

PS-25 A sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-25 A sheet	26088	✓	12	0,765

PS-25 roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-25 roll	26012	-	12	0,765

PS-25 A roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-25 A roll	26090	✓	12	0,765

PS-40 sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-40 sheet	26007	-	17	1,218

PS-40 A sheet

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-40 A sheet	26089	✓	17	1,218



PS-40 roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-40 roll	26014	-	17	1,218

PS-40 A roll

Type	Code	Self-adhesive	Rw(dB)	Weight/m2 (kg)
PS-40 A roll	26091	✓	17	1,218

Elastic properties



Technical characteristics

- Composition Black PU film and absorbing polyurethane foam.
- Thicknesses 15mm 25mm 40mm

Formats

- Sheets 1200x1000 mm
15mm thick, 8 Sheets per box.
25mm thick, 5 Sheets per box.
40mm thick, 3 Sheets per box.
- Rolls 15mm thick, 1500mm wide x approx. 20m long
25mm thick, 1500mm wide x approx. 20m long
40mm thick, 1500mm wide x approx. 15m long

