


PS BLACK

Assorbitore acustico con schiuma PU e film in polietilene nero.
Protegge dall'umidità e dagli schizzi, mantenendo la capacità di assorbimento.



Black PU film and absorbing polyurethane foam.



Disegni

PS-15 plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-15 plancha	26001	-	12	0,463

PS-15 A plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-15 A plancha	26087	✓	12	0,463

PS-15 rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-15 rollo	26010	-	12	0,463

PS-15 A rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-15 A rollo	26068	✓	12	0,59

PS-25 plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-25 plancha	26004	-	12	0,765

PS-25 A plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-25 A plancha	26088	✓	12	0,765

PS-25 rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-25 rollo	26012	-	12	0,765

PS-25 A rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-25 A rollo	26090	✓	12	0,765

PS-40 plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-40 plancha	26007	-	17	1,218

PS-40 A plancha

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-40 A plancha	26089	✓	17	1,218



PS-40 rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-40 rollo	26014	-	17	1,218

PS-40 A rollo

Tipo	Codice	Autoadesive	Rw(dB)	Peso/m2 (kg)
PS-40 A rollo	26091	✓	17	1,218

Proprietà elastiche



Caratteristiche tecniche

- Composition Black PU film and absorbing polyurethane foam.
- Thicknesses 15mm 25mm 40mm

Formati

- Sheets 1200x1000 mm
15mm thick, 8 Sheets per box.
25mm thick, 5 Sheets per box.
40mm thick, 3 Sheets per box.
- Rolls 15mm thick, 1500mm wide x approx. 20m long
25mm thick, 1500mm wide x approx. 20m long
40mm thick, 1500mm wide x approx. 15m long