

SCH Washer

ZnNi-coated steel safety washer for SCH mounts, designed to limit movement under tensile and compressive loads and provide secure mechanical retention.



The **AMC-MECANOCAUCHO® SCH Washer** is specifically designed for use with **SCH anti-vibration mounts**. It completes the mounting assembly and provides **mechanical retention**, particularly when the equipment is subjected to high tensile or compressive loads.

Its geometry helps **limit excessive movement of the mount** while maintaining the elastic deformation required for effective vibration isolation. It therefore acts as a **mechanical safety stop** under high dynamic loads or shock conditions.

Manufactured from **ZnNi-coated steel**, the SCH Washer provides **high corrosion resistance**, making it particularly suitable for mobile and industrial applications operating in demanding environmental conditions.

Drawings

SCH 35 WASHER

Type	Code	Weight(kg)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
SCH 35 WASHER	610053	0,016	38	8,5	2

SCH 50 WASHER

Type	Code	Weight(kg)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
SCH 50 WASHER	611080	0,05	54	12,5	3

SCH 65 WASHER

Type	Code	Weight(kg)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
SCH 65 WASHER	606130	0,125	67	16,5	5

SCH 90 WASHER

Type	Code	Weight(kg)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
SCH 90 WASHER	608101	0,312	95	22	6

SCH 125 WASHER

Type	Code	Weight(kg)	Ø ext.(mm)	Ø int.(mm)	Thickness(mm)
SCH 125 WASHER	610123	0,58	125	25	8

Technical characteristics

Washers should be used, if the rubber surface is not covered with the contact surface