

Shim

Shim modulari per livellare supporti in modo sicuro e stabile. Livellamento a gradini; per regolazioni fini si consiglia di combinarli con livellatori HI-SEC. Resistenti alla corrosione.




Gli spessori di regolazione dell'altezza AMC Mecanocaucho® Shim vengono utilizzati per il livellamento dei motori marini. Sono costituiti da una lamiera di acciaio anticorrosivo, in modo da resistere agli ambienti marini.



Disegni

SMALL / MEDIUM / LARGE



Tipo	Codice	A(mm)	C(mm)	D(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	Peso(kg)
SMALL	136301	120	60	100	14	11	3	14	11	0.13
MEDIUM	136302	183	75	140	30	13	4	13	22	0.326
LARGE	136303	228	112	182	34	18	5	18	26	0.792

Caratteristiche tecniche

These shims avoid using the traditional height adjusting studs. The traditional levelling systems are subjected to cyclic bending moments and are exposed to eventual ruptures.

As a result of it most of the marine certification companies do not recommend to use height adjusting studs. Reference is made to DET NORSKE VERITAS (DNV) rules for ships / high speed craft –issue January 2016, Pt.4 Ch3 Sec.1 F202. This requirement is referred to rigid mounting, but is considered applicable to this topic.