

SM Machine Mounts

Cost-effective machine mount with non-slip rubber base, designed for quick and simple installation without floor anchoring.



The **AMC-MECANOCAUCHO® SM Machine Mounts** are designed for the installation of **machinery and equipment where floor anchoring is not required**.

Their **rubber base** provides good contact with the floor and helps **reduce the transmission of vibration and structure-borne noise** between the machine and its supporting structure.

The **height-adjustment system** facilitates machine levelling. The mount design also allows it to accommodate **minor floor irregularities or variations in inclination**, helping to provide stable support.

Thanks to their simple design, SM mounts provide a **cost-effective, easy-to-install and versatile solution** for light machinery, auxiliary equipment and a wide range of industrial applications.



AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain


Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

Drawings

S.M.-40 / S.M.-60 / S.M.-70 / S.M.-90 / S.M.-120



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Code	Weight(gr)
S.M.-40	45	40	18	M-8	48	146001	80
S.M.-60	150	65	28	M-12	89	146002	308
S.M.-70	250	75	29	M-12	89	146003	367
S.M.-90	500	95	30	M-12	89	146004	582
S.M.-120	1000	125	31	M-16	116	146005	901

Technical characteristics

The elastomer used is a mixture of oil-resistant synthetic Nitrile Butadiene Rubber (NBR).