

SN Anti-Vibration Mounts

High-elasticity, low-natural-frequency anti-vibration mounts for auxiliary machinery and onboard equipment requiring a high level of vibration isolation.




The **AMC-MECANOCAUCHO® SN anti-vibration mounts** are designed for **auxiliary machinery and onboard equipment** requiring a **high level of vibration isolation**.

Their **high elasticity and low natural frequency** effectively reduce the transmission of vibration to the vessel structure. They are particularly suitable for equipment operating at **low excitation frequencies**, where conventional anti-vibration mounts may provide insufficient isolation performance.

Their design also accommodates **large movements and dynamic loads in different directions**. SN mounts are therefore particularly suitable for **generator sets, pumps, compressors and other onboard auxiliary equipment** where a high level of vibration isolation is required.



Drawings

SN



Type	Code	Max. Load(kg)	Deflection(mm)	Shore	Weight(kg)
SN	139001	180	9	45 Sh	2.616
	139002	240	8	60 Sh	2.616

Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com