

SN Vibration Isolators

High-deflection, low-natural-frequency vibration isolators for auxiliary machinery and onboard equipment requiring high vibration isolation performance.




The **AMC-MECANOCAUCHO® SN vibration isolators** are designed for **auxiliary machinery and onboard equipment** requiring **high vibration isolation performance**.

Their **high deflection and low natural frequency** effectively reduce vibration transmission to the vessel structure. They are particularly suitable for equipment operating at **low excitation frequencies**, where conventional vibration isolators may not provide sufficient isolation.

Their design also accommodates **large displacements and dynamic loads in multiple directions**. SN vibration isolators are therefore particularly well suited for **generator sets, pumps, compressors and other onboard auxiliary equipment** requiring high vibration isolation performance.



Drawings

SN



Type	Code	Max. Load(lbs)	Deflection(in)	Shore	Weight(lbs)
SN	139001	397	0.35	45 Sh	6
	139002	529	0.31	60 Sh	6

Elastic properties



AMC MECANOCAUCHO

Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain



Tel.: +34 843 74 00 13
Fax: +34 943 69 62 19



sales@amcsa.es



www.mecanocaucho.com
www.akustik.com