SV Anti-Vibration Machine Mount

Height-adjustable anti-vibration machine mount designed for simple installation without floor anchoring



The **AMC-MECANOCAUCHO® SV Anti-Vibration Machine Mounts** are designed to support and isolate **machinery and equipment where floor anchoring is not required**.

Their **height-adjustment system** allows the machine to be easily levelled while providing **elastic decoupling between the equipment and the floor**, helping to reduce the transmission of **vibration and structure-borne noise**.

The base also provides **good grip on the floor**, allowing stable installation without mechanical fixing. This design simplifies equipment installation and makes repositioning easier when required.


SV mounts provide a simple and cost-effective solution for **auxiliary machinery, industrial equipment and lightweight structures** requiring levelling, stability and vibration isolation.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.


Drawings

000



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
000	80	45	23	M-8	48	20	143001	91

00




Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
00	120	60	28	M-10	81	60	143002	238

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

0



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
0	160	70	34	M-12	89	90	143003	346

1




Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
1	350	85	32	M-12	89	130	143004	458

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

2



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
2	600	100	40	M-14	109	270	143005	709

3




Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
3	900	120	37	M-16	116	450	143006	951

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

4



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
4	1200	140	55	M-16	116	700	143007	2005

5




Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
5	1750	160	60	M-16	116	1100	143008	1972

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

6



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
6	2500	180	70	M-24	138	1500	143009	3055

7



Type	Max.Load (kg)	A(mm)	B(mm)	C(mm)	D(mm)	Min. Load (kg)	Code	Weight(gr)
7	3750	210	75	M-24	138	2100	143010	5397

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.