SV Machine Vibration Isolator

Height-adjustable machine vibration isolator designed for simple installation without floor anchoring.



The **AMC-MECANOCAUCHO SV Machine Vibration Isolators** are designed to support and isolate **machinery and equipment where floor anchoring is not required**.

Their **height-adjustment system** allows the machine to be easily leveled while providing **elastic decoupling between the equipment and the floor**, helping reduce the transmission of **vibration and structure-borne noise**.

The base also provides **good grip on the floor**, allowing stable installation without mechanical fastening. This design simplifies equipment installation and makes repositioning easier when required.


SV vibration isolators provide a simple and cost-effective solution for **auxiliary machinery, industrial equipment, and lightweight structures** requiring leveling, stability, and vibration isolation.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.


Drawings

0



Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
0	176	1.77	0.91	M-8	1.89	44	143001	0.2

00




Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
00	264	2.36	1.1	M-10	3.19	132	143002	1

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

0



Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
0	353	2.76	1.34	M-12	3.5	198	143003	1

1




Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
1	771	3.35	1.26	M-12	3.5	287	143004	1

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

2



Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
2	1322	3.94	1.57	M-14	4.29	595	143005	2

3




Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
3	1984	4.72	1.46	M-16	4.57	992	143006	2

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

4



Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
4	2645	5.51	2.17	M-16	4.57	1543	143007	4

5




Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
5	3857	6.3	2.36	M-16	4.57	2424	143008	4

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

6



Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
6	5510	7.09	2.76	M-24	5.43	3306	143009	7

7



Type	Max. Load (lbs)	A(in)	B(in)	C(in)	D(in)	Min.Load (lbs)	Code	Weight(lbs)
7	8265	8.27	2.95	M-24	5.43	4628	143010	12

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

Advantages

Easy installation

This mount requires no major modifications to the structure for installation.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.