# SVT Anti-Vibration Mounts

## Stainless steel wire mesh anti-vibration mounts for vibration and shock isolation at high temperatures and in severe environments.



The **SVT anti-vibration mounts from AMC-MECANOCAUCHO®** use a resilient **stainless steel wire mesh element**, specifically designed to provide effective **vibration isolation in high-temperature applications** and in environments where conventional elastomers are not suitable.

Their design provides **similar stiffness in compression and tension**, making them particularly suitable for equipment subjected to **vertical vibration, shocks and high dynamic loads**. The wire mesh also provides a **high level of damping**, helping to limit vibration amplification when passing through resonance.

The robust metal housing withstands **tensile loads**, while the stainless steel wire mesh provides excellent resistance to **corrosion, high temperatures and severe environmental conditions**.


SVT mounts are particularly suitable for **ships, railway vehicles, transport equipment and mobile machinery**, as well as **engines, pumps, auxiliary units and exhaust systems** exposed to high temperatures and severe dynamic loads.

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com


*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 15/11/2026.*

# Drawings


## SVT-70 / SVT-95




SECTION A-A



SECTION A-A




| Type | Max.Load (kg) | Weight(gr) | Code |
|---|---|---|---|
| SVT-70 | 300 | 1581 | 176650 |
| SVT-95 | 1400 | 2900 | 176670 |

**AMC MECANOCAUCHO**
Industrialdea Zona Pab. 35
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 15/11/2026.*

## Technical characteristics

SVT mounts are anti vibration mounts that use a pre-stressed stainless steel mesh as elastic element.
They are ideal for applications in which high temperatures are present. Its specific design allows very similar tensile and compression stiffness rates. This feature is particularly useful on those applications where vibration in the vertical sense is predominant. The metal parts are robust and incorporate a fail-safe device in order toresist tensile loads.

The steel housing has been designed to withstand to great dynamic shocks while the stainless steelmesh fits tight to avoid relative displacements.
The stainless steelwire mesh and the PU coated carbon steel housing provide a higher resistance to corrosive environments.
Moreover, the damping properties of the stainless steelwire mesh allows low amplification on resonance, allowing stable suspended elements.

## Advantages

### Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

### Mount offering high stability

Suspensions built with this mount barely move, thanks to a geometry designed to control the movement of the suspended element.

### Superior corrosion protection

The metal parts of this anti-vibration mount are made of stainless steel to prevent corrosion in the most demanding environments.

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 15/11/2026.*