

Transformer Anti-Vibration Mounts

Anti-vibration mounts designed for the isolation of 50 Hz electrical transformers, allowing the original wheels to be retained without modifying the chassis.



AMC-MECANOCAUCHO® Transformer Anti-Vibration Mounts are specifically designed to **reduce the transmission of vibrations and structure-borne noise** generated by electrical transformers operating at 50 Hz.



Their elastomeric design combines **flexibility and damping** to provide effective vibration isolation and limit the transmission of vibrations to the floor and building structure.

The geometry of the mount allows the **transformer's existing wheels to be placed directly on the mount**, without requiring modifications to the chassis or base. This considerably simplifies installation and makes the mounts particularly suitable for **retrofitting existing transformers**.

Robust and easy to install, these mounts are particularly suitable for **electrical transformers in buildings, plant rooms and industrial installations** where vibration and structure-borne noise reduction are required.



Drawings

Small / Large



Type	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	R(mm)	Code	Max. Load (kg)	Weight(gr)
Small	190	230	57	13	70	150	10	60	30	148301	800	2550
Large	290	328	88	13	100	250	10	70	30	148311	3000	5835

Elastic properties



Technical characteristics

The AMC-MECANOCAUCHO® TRANSFORMER MOUNT incorporates resilient natural rubber specifically designed to last over time.

The metal parts have a suitable anti-corrosive treatment for outdoor applications.

The load capacity shown in our catalogue is the maximum static values the transformer mount can support, with the capability of withstanding occasional extreme dynamic overload.