# Transformer Anti-Vibration Mounts

## Anti-vibration mounts designed for the isolation of 50 Hz electrical transformers, allowing the original wheels to be retained without modifying the chassis.



**AMC-MECANOCAUCHO® Transformer Anti-Vibration Mounts** are specifically designed to **reduce the transmission of vibrations and structure-borne noise** generated by electrical transformers operating at 50 Hz.

Their elastomeric design combines **flexibility and damping** to provide effective vibration isolation and limit the transmission of vibrations to the floor and building structure.

The geometry of the mount allows the **transformer's existing wheels to be placed directly on the mount**, without requiring modifications to the chassis or base. This considerably simplifies installation and makes the mounts particularly suitable for **retrofitting existing transformers**.


Robust and easy to install, these mounts are particularly suitable for **electrical transformers in buildings, plant rooms and industrial installations** where vibration and structure-borne noise reduction are required.

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 11/11/2026.*

# Drawings

## Small / Large






| Type | A(mm) | B(mm) | C(mm) | D(mm) | E(mm) | F(mm) | G(mm) | H(mm) | R(mm) | Code | Max. Load (kg) | Weight(gr) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Small | 190 | 230 | 57 | 13 | 70 | 150 | 10 | 60 | 30 | 148301 | 800 | 2550 |
| Large | 290 | 328 | 88 | 13 | 100 | 250 | 10 | 70 | 30 | 148311 | 3000 | 5835 |

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 11/11/2026.*

# Elastic properties




**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 11/11/2026.*

## Technical characteristics

The AMC-MECANOCAUCHO® TRANSFORMER MOUNT incorporates resilient natural rubber specifically designed to last over time.
The metal parts have a suitable anti-corrosive treatment for outdoor applications.
The load capacity shown in our catalogue is the
maximum static values the transformer mount can support, with the capability of withstanding occasional extreme dynamic overload.

## Advantages

### Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

**AMC MECANOCAUCHO**
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

*In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.*
*Document generated on 11/11/2026.*