

2V-SH Spring Isolator

Open high-deflection spring isolator for very low-frequency vibration isolation. Static deflection up to 2 inches (50 mm) and natural frequencies as low as 3 Hz.



The **AMC-MECANOCAUCHO® 2V-SH spring isolator** is designed for applications requiring **very low-frequency vibration isolation** and higher load capacity.


With a **static deflection of up to 2 inches (50 mm)**, the springs can achieve **natural frequencies as low as 3 Hz**, providing highly effective isolation for low-speed equipment or machinery generating very low-frequency vibrations.

Its open design provides **no lateral restraint**, so particular attention must be paid to **equipment stability and the position of its center of gravity**.

The spring isolator incorporates a **leveling system** and a **Sylomer® pad**, complementing the action of the springs by improving vibration isolation at medium and high frequencies.

Drawings


2V-SH



Type	Code	Spring color	Max. Load (lbs)	K(N/mm)	A(in)	B(in)	D(in)	E(in)	F(in)	G(in)	H(in)	I(in)	J(in)	Weight(lbs)
2V-SH	20405	BLUE	295	27	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	11
	21010	WHITE	419	37	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	11
	20406	BLACK	498	50	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	12
	21011	BEIGE	763	69	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	11
	20407	RED	983	86	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	13
	21012	GREY	1477	137	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	11
	20408	GREEN	1966	176	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	15
	21015	BROWN	3086	301	9.84	7.09	3.94	0.55	8.27	3.94	4.17	10.63	11.73	16

Elastic properties

LOAD DEFLECTION GRAPH
AMC MECANOCAUCHO® 2V-SH



Technical characteristics

The mounts are able to reach low natural frequencies from 2 to 5 Hz. The spring combined with sylomer® is able to provide high isolation at low and medium frequencies.

The curves are showing the deflection and natural frequencies according to the load of the spring. Temperature working range from -30 to 70°. Short term higher temperatures are possible.