VT-SV

VT-SV | Acoustic hangers designed for vibration isolation of suspended acoustic ceilings and machinery.



AMC-MECANOCAUCHO® VT Hangers range is a range designed for suspension of acoustic ceilings and machinery that requires a very high isolation level.


These hangers are made of a high mechanical performance spring and incorporate a rubber bush conceived to avoid the acoustic bridges and the contact of a non aligned screw.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

Drawings

VT SV 8 / VT SV 15




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 8	8	BLACK	Ø57	12	3	Ø30	20050	87,6	8	0.24
							20063	90	10	0.154
VT SV 15	15	BLACK	Ø57	12	3	Ø30	20051	87,6	8	0.24
							20064	90	10	0.154

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

VT SV 25 / VT SV 50




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 25	25	BLACK	Ø57	12	3	Ø30	20052	87,6	8	0.24
							20065	90	10	0.234
VT SV 50	50	BLUE	Ø57	12	3	Ø30	20053	87,6	8	0.23
							20066	90	10	0.22

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

VT SV 75 / VT SV 100




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 75	75	GREY	Ø57	12	3	Ø30	20054	87,6	8	0.25
							20067	90	10	0.256
VT SV 100	100	BEIGE	Ø57	12	3	Ø30	20055	87,6	8	0.308
							20068	90	10	0.272

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

VT SV 125 / VT SV 150R




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 125	125	WHITE	Ø57	12	3	Ø30	20056	87,6	8	0.272
							20069	90	10	0.28
VT SV 150R	150	BLACK	Ø57	12	3	Ø30	20027	87,6	14	0.33
							20070	90	10	0.304

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

VT SV 150 / VT SV 200




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 150	150	BLUE	Ø70	8	4	Ø30	20233	123,1	12	0.558
VT SV 200	200	WHITE	Ø70	8	4	Ø30	20058	123,1	12	0.595

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

VT SV 250 / VT SV 350




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 250	250	BLACK	Ø70	12	4	Ø30	20059	123,1	12	0.671
VT SV 350	350	CREAM	Ø70	12	4	Ø30	20060	123,1	12	0.853

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

VT SV 500 / VT SV 750




Type	Max. Permanent Load (kg)	Spring color	A(mm)	C(mm)	T(mm)	Q(mm)	Code	H(mm)	M	Weight(kg)
VT SV 500	500	LIGHT GREY	Ø93	10	5	Ø30	20061	126,45	14	1.599
VT SV 750	750	GREEN	Ø93	10	5	Ø30	20062	126,45	14	2.063


AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

Elastic properties

LOAD DEFLECTION GRAPH





AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 20/11/2026.