VT W

Spring ceiling hanger



The AMC-MECANOCAUCHO® VT W ceiling mount range is designed for the suspension of acoustic ceilings requiring a very high level of insulation. It has been developed to support profiles up to 40 mm wide on both sides of the spring hanger, thus minimizing the height of the ceiling suspension system.

These ceiling mounts are manufactured with a high mechanical performance spring and incorporate a rubber bushing designed to prevent acoustic bridges and contact from misaligned screws.


The metal structure is very robust and is supplied with an anti-corrosion galvanized coating.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 18/11/2026.

Drawings

VT W 8 / VT W 15 / VT W 25 / VT W 50 / VT W 75 / VT W 100 / VT W 125 / VT W 150R




Type	Max. Permanent Load (kg)	Spring color	Code	Weight(kg)
VT W 8	8	BLACK	21420	0.786
VT W 15	15	BLACK	21421	0.786
VT W 25	25	BLACK	21422	0.786
VT W 50	50	BLUE	21423	0.786
VT W 75	75	GREY	21424	0.786
VT W 100	100	BEIGE	21425	0.786
VT W 125	125	WHITE	21426	0.786
VT W 150R	150	BLACK	21427	0.786

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 18/11/2026.

Elastic properties



AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 18/11/2026.

Technical characteristics

NEVER METAL TO METAL CONTACT

The hanger has a clearance that allows the threaded rod to swing within a 35° angle envelope to absorb irregularities in the ceiling.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.