Akustik +Sylomer® Sound Clip

Low-profile acoustic sound clip with Sylomer® for wall linings and suspended ceilings. Fast profile fixing and effective acoustic decoupling of the metal frame.



The Akustik + Sylomer® Sound Clip is a compact acoustic clip designed for the acoustic decoupling of metal frames in wall linings and suspended ceilings.

Its Sylomer® resilient element effectively reduces the transmission of vibrations and structure-borne sound between the metal frame and the supporting structure, minimising acoustic bridges at the fixing points.

Thanks to its low-profile design, the Sound Clip makes it possible to build high-performance acoustic wall linings while minimising the loss of installation depth. Its design also allows quick and easy installation of the metal profiles.


Its robust fail-safe metal construction ensures secure fixing and long-term reliability. The Sound Clip is particularly suitable for residential buildings, studios, auditoriums, plant rooms and refurbishment projects requiring high acoustic performance with minimal wall or ceiling thickness.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Drawings

Akustik + Sylomer® Sound Clip 8 / Akustik + Sylomer® Sound Clip 15 / Akustik + Sylomer® Sound Clip 30





Type	Code	Max. Load(kg)	Weight(kg)
Akustik + Sylomer® Sound Clip 8	23726	8	0.112
Akustik + Sylomer® Sound Clip 15	23753	15	0.112
Akustik + Sylomer® Sound Clip 30	23748	30	0.112

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Elastic properties





AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.
Document generated on 15/11/2026.

Advantages

Easy Installation

This mount requires minimal structural modifications, making installation quick and straightforward.

Incorporates Sylomer® elastomer, highly effective for isolating both high and low frequencies

Sylomer® provides high isolation across a wide frequency range and is particularly effective at high frequencies, effectively eliminating the transmission of structure-borne noise.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalogue without prior notice.