Akustik + Sylomer® Sound Clip

Low-profile acoustic sound clip with Sylomer® for wall assemblies and suspended ceilings. Fast framing attachment and effective acoustic decoupling.



The Akustik + Sylomer® Sound Clip is a compact acoustic clip designed for the acoustic decoupling of metal framing in wall assemblies and suspended ceilings.

Its Sylomer® resilient element effectively reduces the transmission of vibrations and structure-borne sound between the framing and the supporting structure, minimizing acoustic bridges at the attachment points.

Its low-profile design makes it possible to build high-performance acoustic wall assemblies while minimizing the loss of installation depth. The clip also allows fast and easy installation of the metal framing.


Its robust fail-safe metal construction provides secure attachment and long-term durability. The Sound Clip is particularly suitable for residential buildings, studios, auditoriums, mechanical rooms, and renovation projects requiring high acoustic performance with minimal wall or ceiling thickness.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

Drawings

Akustik + Sylomer® Sound Clip 8 / Akustik + Sylomer® Sound Clip 15 / Akustik + Sylomer® Sound Clip 30





Type	Code	Max. Load(lbs)	Weight(lbs)
Akustik + Sylomer® Sound Clip 8	23726	18	0.25
Akustik + Sylomer® Sound Clip 15	23753	33	0.25
Akustik + Sylomer® Sound Clip 30	23748	66	0.25

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

Elastic properties





AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain
Tel.: +34 843 74 00 13
sales@amcsa.es
www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.

Advantages

Easy installation

This mount requires no major modifications to the structure for installation.

Incorporates Sylomer® elastomer, highly effective for isolating both high and low frequencies

Sylomer® provides high isolation across a wide frequency range and is particularly effective at high frequencies, effectively eliminating the transmission of structure-borne noise.

AMC MECANOCAUCHO
Industrialdea Zona A - Pab. 35.
Asteasu E-20159, Gipuzkoa
Spain

Tel.: +34 843 74 00 13

sales@amcsa.es

www.mecanocaucho.com

In order to adapt its products to the state of the art, Aplicaciones Mecánicas del Caucho, S.A. reserves the right to modify the conception and manufacture of the materials presented in this catalog without prior notice.
Document generated on 15/11/2026.